

10000 liter tank i Rostfritt 304



265,000,00 kr /st exkl moms

Additional information: Ice water; Manhole appr. 410 x 510 mm; Heating connections cut off

Volumetric volume (L): 10.000 L

Pressure in tank: ATM - atmosferic

Max. temperature (°C): 10 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated with heat-exchanger

Heat exchanger: yes

Insulation: yes

Mobile tank: no

Total discharge: yes

Volume: 205 L

Max Overpressure: 3 Bar

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: DN50 DIN 11851

Agitator: yes

Number of revolutions: 17 / 35

Power: 1.2 / 2.2

Cylinder: 4 mm

Bottom: 4 mm

Internal diameter tank: 1.660 mm

Outer diameter tank: 1.790 mm

Cylinder height: 4.500 mm

Total height of tank: 6.600 mm

SKU: 457631

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: insulated with heat-exchanger

Max. arbetstemperatur: 10 °C

Mobil tank: Nej

Övrig information: Ice water; Manhole appr. 410 x 510 mm; Heating connections cut off; we can't give any guarantees about the heating/cooling jacket; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 10000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 4.500 mm

Invändig diameter: 1.660 mm

Total höjd: 6.600 mm

Ytterdiameter: 1.790 mm



Omrörare

Kraft (kW): 1.2 / 2.2

Varvtal: 17 / 35

Tjocklek på tank

Botten: 4 mm

Cylinder: 4 mm

Mer

Isolerad: Ja