


10000 liter tank i Rostfritt 304



131 000 SEK /st exkl moms

Additional information: Manhole dimensions (cylinder): approx. 420 x 320 mm; 2 Thermoplates in the cylinder area; clear outlet with nozzle (DN50 DIN 11851)

Volumetric volume (L): 10.000 L

Pressure in tank: ATM - atmosferic



Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Max Overpressure: 6 Bar

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Outlet of tank: DN50 DIN 11851

Internal diameter tank: 1.800 mm

Cylinder height: 2.976 mm

Total height of tank: 4.060 mm

SKU: 706054

Mer information



Beskrivning av produkt

Material: Stainless steel 304

Modell: Vertical

Nyttillverkad/Begagnad: Newly manufactured

Arbetsstryck i tank: ATM – atmospheric

Konfiguration: single-skin

Mobil tank: No, it is not.

Övrig information: Manhole dimensions (cylinder): approx. 420 x 320 mm; 2 Thermoplates in the cylinder area; clear outlet with nozzle (DN50 DIN 11851)

Omrörare: No

Total urtappning: Yes

Uppvärmning/kylning: No, it is not.

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 10000

Utrustning

Dokument finns: No, it is not.

Fläns för omrörare: No

Märkskylt: No, it is not.

Teknisk ritning finns: No, it is not.

Översikt material

Material: Stainless steel 304

Dimensioner av tank

Cylinderhöjd: 2.976 mm

Invändig diameter: 1.800 mm

Total höjd: 4.060 mm

Mer

Isolerad: No