

10000 liter tank i Rostfritt 304



97 000 SEK /st exkl moms

Article type: second-hand storage tank

Additional information: Suitable for alcohol and food-industry applications. The tank has some dents on the cylindrical shell and near the outlet. See pictures for details.

Volumetric volume (L): 10.000 L

Max. density P (kg/m³): 1.000

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: horizontal

Configuration: insulated

Heat exchanger: no



Insulation: yes

Mobile tank: no

Shape of tank: oval

Total discharge: no

Spray ball: RVS 304

Manway(s): RVS 304

Suitable for food industry: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Number of manways: 1

Position of manway: at the top

Height manhole 1 (mm): 440 mm

CIP spray ball: yes

Tank outlet: inside Ø 71 mm

Cylinder: 65 mm

Insulation thickness: 40

Distance from outlet to ground: 120 mm

Cylinder height: 3.975 mm

Total height of tank: 2.150 mm

Total outer width: 2.300 mm

Total outer length: 4.550 mm

SKU: 708472



Mer information

Beskrivning av produkt

Livsmedelsklassad: Ja

Material: Rostfritt 304

Modell: Horisontell

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: insulated

Maximal densitet för produkten: 1000

Mobil tank: Nej

Övrig information: Suitable for alcohol and food-industry applications. The tank has some dents on the cylindrical shell and near the outlet. See pictures for details.

Omrörare: Nej

Tankens form: oval

Total urtappning: Nej

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 10000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Livsmedelsklassad: Ja

Tankutlopp: inside Ø 71 mm

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 3.975 mm

Mått utlopp till marken: 120 mm

Total höjd: 2.150 mm



Tjocklek på tank

Cylinder: 65 mm

Mer

Isoleringstjocklek OW: 40

Isolerad: Ja