10000 liter tank i Rostfritt 304



95 000 SEK /st exkl moms

Article type: second-hand storage tank
Additional information: Tanks has some dents in the outer insulation jacket, please look closely at the pictures; Last use was alcohol for food consumption.
Volumetric volume (L): 10.000 L
Max. density P (kg/m³): 1.000
Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)
Model: horizontal
Configuration: insulated
Heat exchanger: no

Insulation: yes

Mobile tank: no
Shape of tank: oval
Total discharge: no
Spray ball: RVS 304
Manway(s): RVS 304

Suitable for food industry: yes
Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no

Number of manways: 1
Position of manway: at the top
Height manhole 1 (mm): 440 mm
CIP spray ball: yes
Tank outlet: inside Ø 71 mm

Cylinder: 65 mm
Insulation thickness: 40
Distance from outlet to ground: 120 mm
Cylinder height: 3.975 mm
Total height of tank: 2.150 mm

Total outer width: 2.300 mm
Total outer length: 4.550 mm

SKU: 708472

Mer information

Beskrivning av produkt

Livsmedelsklassad: Ja
Material: Rostfritt 304
Modell: Horisontell
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: insulated
Maximal densitet för produkten: 1000
Mobil tank: Nej
Övrig information: Suitable for alcohol and food-industry applications. The tank has some dents on the cylindrical shell and near the outlet. See pictures for details.
Omrörare: Nej
Tankens form: oval
Total urtappning: Nej
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 10000

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Livsmedelsklassad: Ja
Tankutlopp: inside Ø 71 mm
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 3.975 mm
Mått utlopp till marken: 120 mm
Total höjd: 2.150 mm

Tjocklek på tank
Cylinder: 65 mm

Mer
Isoleringstjocklek OW: 40
Isolerad: Ja