

## 10000 liter tank i Rostfritt 304



**94 000 SEK /st exkl moms**

**Additional information:** seal manufacturing; Insulated jacket with dents and sheet metal cuts; 1 connection in the upper bottom bent; slight metallic discoloration inside; some residues of previous content

**Volumetric volume (L):** 10.000 L

**Pressure in tank:** ATM - atmosferic

**Max. temperature (°C):** 80 °C  
**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical  
**Configuration:** insulated  
**Heat exchanger:** no  
**Insulation:** yes  
**Mobile tank:** no

**Total discharge:** yes  
**Max Overpressure:** 2 Bar  
**Max. working temperature:** 80 °C  
**Heat exchanger:** RVS 304  
**Documents included:** no

**Technical drawing included:** no  
**Registration plate on the tank:** no  
**Flange for agitator:** no  
**Position of manway:** headside  
**Outlet of tank:** available

**Agitator:** yes  
**Number of revolutions:** 55 - 136  
**Power:** 5  
**Internal diameter tank:** 2.390 mm  
**Outer diameter tank:** 2.640 mm

**Cylinder height:** 2.000 mm  
**Total height of tank:** 4.550 mm

**SKU:** 272479

## Mer information

### Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: insulated with heat-exchanger

Max. arbetstemperatur: 80 °C

Mobil tank: Nej

Övrig information: seal manufacturing; insulation jacket with dents and metal cutoffs; 1 bent connection in the upper bottom; slight metallic discolourations inside; some residues of previous content; we can't give

Övrig information2: any guarantees about the heating/cooling jacket; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 10000

### Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

### Översikt material

Material: Rostfritt 304

### Dimensioner av tank

Cylinderhöjd: 2.000 mm

Invändig diameter: 2.390 mm

Total höjd: 4.550 mm

Ytterdiameter: 2.640 mm

**Omrörare**

Kraft (kW): 5

Varvtal: 55 - 136

**Mer**

Värmeväxlare: RVS 304

Isolerad: Ja