

10000 liter tank i Syrafast 316



177 000 SEK /st exkl moms

Article type: second-hand mixing tank

Additional information: we can't give any guarantees about the agitator

Volumetric volume (L): 10.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: no

Mobile tank: no

Top type: conical

Shape of tank: cylindrical

Bottom type: conical

Total discharge: yes

Fixation points: 4 adjustable feet

Outer jacket (ornamental wall): RVS 304

Manway(s): RVS 316

Gasket manway(s): unknown

Fixation point(s): RVS 304

Wet parts agitator(s): SS AISI 316 (V4A)

Suitable for food industry: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Number of manways: 1

Position of manway: cylinder

Height manhole 1 (mm): 435 mm

Tank outlet: inside Ø 70 mm

Agitator: yes

Agitator type: propeller agitator

Position engine: at the top

Power: 1,10

Insulation thickness: 50

Outer diameter tank: 2.200 mm

Total height of tank: 5.750 mm

Empty weight tank: 2.000

SKU: N/A

Mer information

Beskrivning av produkt

Livsmedelsklassad: Ja

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: insulated

Mobil tank: Nej

Övrig information: we can't give any guarantees about the agitator

Omrörare: Ja

Tankens form: cylindrical

Total urtappning: Ja

Typ av botten: conical

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 10000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Livsmedelsklassad: Ja

Tankutlopp: inside Ø 70 mm

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Fixeringspunkt(er): RVS 304

Material vätskeberörd del på omrörare: SS AISI 316 (V4A)

Ytterbeklädnad: RVS 304

Dimensioner av tank

Total höjd: 5.750 mm

Ytterdiameter: 2.200 mm

Omrörare

Kraft (kW): 1,10

Position motor: at the top

Typ av omrörare: propeller agitator

Mer

Isoleringstjocklek OW: 50

Isolerad: Nej

Vikt: 2.000