

10000 liter tank i Syrafast 316



180,000,00 kr /st exkl moms

Article type: second-hand mixing tank

Additional information: we can't give any guarantees about the agitator

Volumetric volume (L): 10.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: no

Mobile tank: no

Top type: conical

Shape of tank: cylindrical

Bottom type: conical

Total discharge: yes

Fixation points: 4 adjustable feet

Outer jacket (ornamental wall): RVS 304

Manway(s): RVS 316

Gasket manway(s): unknown

Fixation point(s): RVS 304

Wet parts agitator(s): SS AISI 316 (V4A)

Suitable for food industry: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Number of manways: 1

Position of manway: cylinder

Height manhole 1 (mm): 435 mm

Tank outlet: inside Ø 70 mm

Agitator: yes

Agitator type: propeller agitator

Position engine: at the top

Power: 1,10

Insulation thickness: 50

Outer diameter tank: 2.200 mm

Total height of tank: 5.750 mm

Empty weight tank: 2.000

SKU: N/A

Mer information
