100000 liter tank i Rostfritt 304



395 000 SEK /st exkl moms

Additional information: food industry; Outlet spigot installed vertically downwards; concrete standing frame
Volumetric volume (L): 100.000 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Model: vertical

Configuration: insulated
Heat exchanger: no
Insulation: yes
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Position of manway: cylinder

Outlet of tank: DN125 DIN 11851
Agitator: yes
Internal diameter tank: 3.600 mm
Outer diameter tank: 3.700 mm
Cylinder height: 11.500 mm

Total height of tank: 13.000 mm
Empty weight tank: 10.000

SKU: 477625

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: insulated
Mobil tank: Nej
Övrig information: food industry; standing frame made of concrete; Outlet nozzle installed vertically downwards; we can’t give any guarantees about the agitator
Omrörare: Ja
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 100000

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 11.500 mm
Invändig diameter: 3.600 mm
Total höjd: 13.000 mm
Ytterdiameter: 3.700 mm

Mer

Isolerad: Ja
Vikt: 10.000