

100000 liter tank i Rostfritt 304



393 000 SEK /st exkl moms

Additional information: food industry; Outlet spigot installed vertically downwards; concrete standing frame

Volumetric volume (L): 100.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: DN125 DIN 11851

Agitator: yes

Internal diameter tank: 3.600 mm

Outer diameter tank: 3.700 mm

Cylinder height: 11.500 mm

Total height of tank: 13.000 mm

Empty weight tank: 10.000

SKU: 477625

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: insulated

Mobil tank: Nej

Övrig information: food industry; standing frame made of concrete; Outlet nozzle installed vertically downwards; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 100000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 11.500 mm

Invändig diameter: 3.600 mm

Total höjd: 13.000 mm

Ytterdiameter: 3.700 mm

Mer

Isolerad: Ja

Vikt: 10.000

