

1011 liter tank i Syrafast 316



26,000,00 kr /st exkl moms

Additional information: Putty; Frame, Aisi 304; Manhole diameter approx. 410 mm; 1 filling tube inside the container; some residues of previous content; traces of usage

Volumetric volume (L): 1.011 L

Pressure in tank: pressure

Max. pressure (Bar): 0,50 Bar

Max. temperature (°C): 50 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: DN25 DIN 11851

Internal diameter tank: 1.090 mm

Cylinder height: 770 mm

Total height of tank: 1.920 mm

Total outer width: 1.210 mm

Total outer length: 1.210 mm

SKU: 427661

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: pressure

Konfiguration: single-skin

Max. arbetstemperatur: 50 °C

Mobil tank: Nej

Övrig information: Putty; Frame, Aisi 304; Manhole diameter approx. 410 mm; 1 filling tube inside the container; some residues of previous content; traces of usage

Omrörare: Nej

Övertryck: 0,50 Bar

Total urtappning: Ja

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 1011

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 770 mm

Invändig diameter: 1.090 mm

Total höjd: 1.920 mm

Mer

Isolerad: Nej
