

1020 liter tank i Rostfritt 304



43,000 SEK /st exkl moms

Additional information: Brewery; Cooling system, consisting of a copper pipe attached along the entire length of the tank; both tanks lie loose in a bolted stainless steel 304 frame; 1 manhole approx. 320 x 415 mm in the front floor; some residues of previous content

Volumetric volume (L): 1.020 L

Pressure in tank: pressure

Max. pressure (Bar): 3 Bar

Max. temperature (°C): 50 °C

Material wet parts: SS AISI 304 (V2A)

Model: horizontal

Configuration: insulated with heat-exchanger

Heat exchanger: yes

Insulation: yes

Mobile tank: no

Total discharge: yes

Volume: 3 L

Max Overpressure: 3 Bar

Max. working temperature: 50 °C

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: DN40 DIN 11851

Internal diameter tank: 790 mm

Outer diameter tank: 860 mm

Total outer length: 2.400 mm

SKU: 489793

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Horisontell

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: pressure

Konfiguration: insulated with heat-exchanger

Max. arbetstemperatur: 50 °C

Mobil tank: Nej

Övrig information: Brewery; Cooling system, consisting of a copper pipe that is attached over the entire length of the tank; different manufacturers, therefore slight differences in the design (e.g. the tank from the

Övrig information2: manufacturer Müller has a different frame and different pressure levels to the other two tanks, see photos); we can't give any guarantees about the heating/cooling jacket

Omrörare: Nej

Övertryck: 3 Bar

Total urtappning: Nej

Trycktank: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 1020

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304



Dimensioner av tank

Invändig diameter: 790 mm

Ytterdiameter: 860 mm

Mer

Isolerad: Ja