1023 liter tank i Rostfritt 304



89 000 SEK /st exkl moms

Additional information: frame Fe (galvanized)
Volumetric volume (L): 1.023 L
Pressure in tank: ATM - atmosferic
Max. temperature (°C): 80 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical
Configuration: single jacketed with heat-exchanger
Heat exchanger: yes
Insulation: no
Mobile tank: no

Total discharge: yes
Volume: 14 L
Max Overpressure: 2,50 Bar
Max. working temperature: 95 °C
Heat exchanger: RVS 304

Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Position of manway: headside

Outlet of tank: DN50 DIN 11851
Agitator: yes
Number of revolutions: 270
Power: 1,1
Internal diameter tank: 1.080 mm

Cylinder height: 1.000 mm
Total height of tank: 2.000 mm

SKU: 479490

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: single jacketed with heat-exchanger
Max. arbetstemperatur: 80 °C
Mobil tank: Nej
Övrig information: frame Fe (galvanized); we can’t give any guarantees about the agitator
Omrörare: Ja
Total urtappning: Ja
Uppvärmning/kylning: Ja
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 1023

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 1.000 mm
Invändig diameter: 1.080 mm
Total höjd: 2.000 mm

Omrörare

Kraft (kW): 1,1
Varvtal: 270

Mer
Värmeväxlare: RVS 304
Isolerad: Nej