

1023 liter tank i Rostfritt 304



60 000 SEK /st exkl moms

Volumetric volume (L): 1.023 L

Pressure in tank: ATM - atmosferic

Max. temperature (°C): 80 °C

Material wet parts: SS AISI 304 (V2A)



Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: no

Fixation point(s): galvanised steel

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Agitator: yes

Number of revolutions: 1.500

Power: 1,10

Internal diameter tank: 1.080 mm

Cylinder height: 1.000 mm

SKU: 307856

Mer information



Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nyttillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: single-skin
Max. arbetstemperatur: 80 °C
Mobil tank: Nej
Övrig information: we can't give any guarantees about the agitator
Omrörare: Ja
Total urtappning: Nej
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 1023

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304
Fixeringspunkt(er): galvanised steel

Dimensioner av tank

Cylinderhöjd: 1.000 mm
Invändig diameter: 1.080 mm

Omrörare

Kraft (kW): 1,10
Varvtal: 1.500

Mer

Isolerad: Nej
