

## 10250 liter tank i Rostfritt 304



### 94 000 SEK /st exkl moms

**Article type:** second-hand storage tank

**Additional information:** Coil in the tank DN50 - 6 turns

**Volumetric volume (L):** 10.250 L

**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** single jacketed with heat-exchanger

**Heat exchanger:** yes

**Insulation:** no

**Mobile tank:** no

**Top type:** conical

**Shape of tank:** cylindrical

**Bottom type:** conical

**Total discharge:** yes

**Fixation points:** 4 adjustable feet

**Type HE:** spiral pipes inside the tank

**Heat exchanger in tank:** yes

**Number of windings:** 6

**Pipe diameter:** 50 mm

**Water pressure HE:** 3 Bar

**Manway(s):** RVS 304

**Fixation point(s):** RVS 304

**Suitable for food industry:** no

**Documents included:** no



**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** no

**Number of manways:** 1

**Position of manway:** at the top

**Height manhole 1 (mm):** 500 mm

**Hinged lid:** yes

**Tank outlet:** inside Ø 65 mm

**Outlet type:** DIN2576

**Total outlet valve:** no

**Top:** 3 mm

**Cylinder:** 2,50 mm

**Bottom:** 2,50 mm

**Distance from outlet to ground:** 400 mm

**Outer diameter tank:** 2.400 mm

**Cylinder height:** 2.250 mm

**Total height of tank:** 3.750 mm

**Empty weight tank:** 900

**SKU:** 89680

## Mer information

## Beskrivning av produkt

Material: Rostfritt 304  
Modell: Vertikal  
Nyttillverkad/Begagnad: Begagnad  
Arbetsstryck i tank: ATM – atmosferic  
Konfiguration: single jacketed with heat-exchanger  
Mobil tank: Nej  
Övrig information: Coil in the tank DN50 – 6 turns  
Omrörare: Nej  
Tankens form: cylindrical  
Total urtappning: Ja  
Typ av botten: conical  
Uppvärmning/kylning: Ja  
Vätskeberörd yta: SS AISI 304 (V2A)  
Volym i liter: 10250

## Utrustning

Dokument finns: Nej  
Fläns för omrörare: Nej  
Märkskylt: Nej  
Tankutlopp: inside Ø 65 mm  
Teknisk ritning finns: Nej  
Utloppstyp: DIN2576  
Utloppsventil: Nej

## Översikt material

Material: Rostfritt 304  
Fixeringspunkt(er): RVS 304

## Dimensioner av tank

Cylinderhöjd: 2.250 mm  
Mått utlopp till marken: 400 mm  
Total höjd: 3.750 mm  
Ytterdiameter: 2.400 mm

**Tjocklek på tank**

Botten: 2,50 mm

Cylinder: 2,50 mm

Topp: 3 mm

**Mer**

Isolerad: Nej

Vikt: 900