# 1027 liter tank i Rostfritt 304




42 000 SEK /st exkl moms

**Additional information**: Beer storage; Tanks are loose in stainless steel 304 racks, which are screwed into each other in pairs; 1 hand hole each approx. 215 x 240 mm in the front base (plastic hand hole cover); 1 pipe inside; 2 tanks outlet pipe diameter inside approx. 44 mm, 1 tank outlet pipe diameter inside approx. 35 mm, the outlet of one tank would have to be measured subsequently due to unfavorable position in our warehouse (the type plate is missing on this tank)

**PROCESSÖVERSKOTT AB**

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

**Volumetric volume (L)**: 1.027 L
**Pressure in tank**: pressure
**Max. pressure (Bar)**: 3 Bar
**Min. pressure (Bar)**: 3 Bar

**Material wet parts**: SS AISI 304 (V2A)
**Model**: horizontal
**Configuration**: single-skin
**Heat exchanger**: no
**Insulation**: no

**Mobile tank**: no
**Total discharge**: yes
**Documents included**: no
**Technical drawing included**: no
**Registration plate on the tank**: yes

**Flange for agitator**: no
**Outlet of tank**: available
**Internal diameter tank**: 780 mm
**Total outer length**: 2.350 mm

**SKU:** 429122

## Mer information

## Beskrivning av produkt

Material: Rostfritt 304
Modell: Horisontell
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: pressure
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: Beer storage; Tanks lie loosely in frames, made of Aisi 304, which are screwed together in pairs; 1 hand hole each approx. 215 x 240 mm in the front bottom (plastic hand hole cover); 1 pipe inside;
Övrig information2:
Omrörare: Nej
Övertryck: 3 Bar
Total urtappning: Ja
Undertryck (vakuum): 3 Bar
Trycktank: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 1027

## Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Invändig diameter: 780 mm

**Mer**
Isolerad: Nej