

1038 liter tank i Syrafast 316



25 000 SEK /st exkl moms

Additional information: Pharmacy; Frame, Aisi 304; manhole diameter approx. 375 mm; slight differences in the design, e.g. outlet diameter (1 x 40 mm; 1 x 48 mm (the type plate is included loose with this container)); traces of usage

Volumetric volume (L): 1.038 L

Pressure in tank: ATM - atmosferic
Max. pressure (Bar): 1,50 Bar
Material wet parts: SS AISI 316 (V4A)

Model: vertical
Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no

Total discharge: yes
Max Overpressure: 1,50 Bar
Documents included: no
Technical drawing included: no
Registration plate on the tank: yes

Flange for agitator: no
Position of manway: headside
Outlet of tank: available
Internal diameter tank: 1.120 mm
Cylinder height: 730 mm

Total height of tank: 1.900 mm
Total outer width: 1.200 mm
Total outer length: 1.200 mm

SKU: 476662

Mer information



Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Pharmacy; Frame, Aisi 304; manhole diameter approx. 375 mm; slight differences in the design, e.g. outlet diameter (1 x 40 mm; 1 x 48 mm (the type plate is included loose with this container));

Övrig information2: traces of usage

Omrörare: Nej

Övertryck: 1,50 Bar

Total urtappning: Ja

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 1038

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 730 mm

Invändig diameter: 1.120 mm

Total höjd: 1.900 mm

Mer

Isolerad: Nej
