1050 liter tank i Rostfritt 304



15 000 SEK /st exkl moms

Additional information: Fragrances and dyes for the beverage industry; Container bolted to a frame made of Fe (galvanized) that can be driven under; disc tap very stiff (possibly defective); stacking support slightly bent at the top in places; container with small dents; traces of usage
Volumetric volume (L): 1.050 L
Pressure in tank: ATM - atmosferic

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Material wet parts: SS AISI 304 (V2A)
Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Position of manway: headside

Outlet of tank: DN50 DIN 11851
Total height of tank: 1.630 mm
Total outer width: 1.200 mm
Total outer length: 1.000 mm

SKU: 474644

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: Fragrances and dyes for the beverage industry; Container bolted to a drive-under frame made of Fe (galvanized); butterfly valve very stiff (possibly defective); stacking support at the top partially
Övrig information2: slightly bent; container with small dents; traces of usage
Omrörare: Nej
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 1050

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Total höjd: 1.630 mm

Mer

Isolerad: Nej