10500 liter tank i Rostfritt 304



71 000 SEK /st exkl moms

Article type: second-hand storage tank
Volumetric volume (L): 10.500 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)
Model: horizontal

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Shape of tank: cylindrical

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Bottom type: dished
Total discharge: yes
Fixation points: 2 non adjustable feet
Manway(s): RVS 304
Gasket manway(s): unknown

Fixation point(s): painted steel
Suitable for food industry: yes
Documents included: no
Technical drawing included: no
Registration plate on the tank: no

Flange for agitator: no
Number of manways: 1
Position of manway: cylinder
Height manhole 1 (mm): 310 mm x H 440 mm
Tank outlet: inside Ø 150 mm

Agitator: no, optional
Distance from outlet to ground: 100 mm
Outer diameter tank: 1.800 mm
Cylinder height: 4.000 mm
Total height of tank: 2.200 mm

Total outer width: 2.500 mm
Total outer length: 5.000 mm
Empty weight tank: 1.500

SKU: 563013

Mer information

Beskrivning av produkt

Livsmedelsklassad: Ja
Material: Rostfritt 304
Modell: Horisontell
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: single-skin
Mobil tank: Nej
Omrörare: Nej
Tankens form: cylindrical
Total urtappning: Ja
Typ av botten: dished
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 10500

Utrustning

Dokument finns: Nei, det er det ikke.
Fläns för omrörare: Nej
Märkskylt: Nej
Livsmedelsklassad: Ja
Tankutlopp: inside Ø 150 mm
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304
Fixeringspunkt(er): painted steel

Dimensioner av tank

Cylinderhöjd: 4.000 mm
Mått utlopp till marken: 100 mm
Total höjd: 2.200 mm
Ytterdiameter: 1.800 mm

Mer
Isolerad: Nej
Vikt: 1.500

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se