

## 105000 liter tank i Rostfritt 304



**398 000 SEK /st exkl moms**

item available on order

**Article type:** brand new storage tank - type TZN-SE

**Additional information:** Pictures of an identical tank with a smaller capacity, pls look at the technical drawing

**Volumetric volume (L):** 105.000 L

**Max. density P (kg/m<sup>3</sup>):** 1.250

**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 304 (V2A)



**Model:** vertical  
**Configuration:** single-skin  
**Heat exchanger:** no  
**Insulation:** no

**Mobile tank:** no  
**Top type:** conical 14 %  
**Shape of tank:** cylindrical  
**Bottom type:** flat %  
**Total discharge:** yes

**Fixation points:** 4 attachment points  
**Manway(s):** RVS 304  
**Gasket manway(s):** EPDM  
**Valve:** RVS 316L  
**Fixation point(s):** RVS 304

**Suitable for food industry:** yes  
**Documents included:** no  
**Technical drawing included:** no  
**Registration plate on the tank:** no  
**Flange for agitator:** no

**Number of manways:** 1  
**Position of manway:** cylinder  
**Height manhole 1 (mm):** 308 mm x H 440 mm  
**Hinged lid:** yes  
**CIP spray ball:** no

**Tank outlet:** inside Ø 80 mm  
**Outlet type:** DIN11851  
**Total outlet valve:** no, optional  
**Tank location:** outside  
**Agitator:** no

**Top:** 2 mm  
**Cylinder:** 3 mm  
**Bottom:** 3 mm  
**Internal diameter tank:** 3.342 mm

**Distance from outlet to ground:** 150 mm

**Outer diameter tank:** 3.342 mm

**Cylinder height:** 12.000 mm

**Height of top:** 455 mm

**Total height of tank:** 12.500 mm

**Empty weight tank:** 3.000

**SKU:** 374948

## Mer information

### Beskrivning av produkt

Livsmedelsklassad: Ja

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Nyttillverkad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Maximal densitet för produkten: 1250

Mobil tank: Nej

Övrig information: Pictures of an identical tank with a smaller capacity, pls look at the technical drawing

Omrörare: Nej

Tankens form: cylindrical

Total urtappning: Ja

Typ av botten: flat %

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 105000



## Utrustning

Dokument finns: Nej  
Fläns för omrörare: Nej  
Märkskylt: Nej  
Livsmedelsklassad: Ja  
Tankutlopp: inside Ø 80 mm  
Teknisk ritning finns: Nej  
Utloppstyp: DIN11851

## Översikt material

Material: Rostfritt 304  
Fixeringspunkt(er): RVS 304

## Dimensioner av tank

Cylinderhöjd: 12.000 mm  
Invändig diameter: 3.342 mm  
Mått utlopp till marken: 150 mm  
Total höjd: 12.500 mm  
Ytterdiameter: 3.342 mm

## Tjocklek på tank

Botten: 3 mm  
Cylinder: 3 mm  
Topp: 2 mm

## Mer

Isolerad: Nej  
Vikt: 3.000