

106 liter tank i Syrafast 316



24 000 SEK /st exkl moms

Additional information: Frame, Aisi 304; 1 filter disc screwed onto the outlet (see photos)

Volumetric volume (L): 106 L

Pressure in tank: ATM - atmosferic

Max. temperature (°C): 96 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: insulated with heat-exchanger

Heat exchanger: yes

Insulation: yes

Mobile tank: no

Top type: open

Total discharge: yes

Volume: 4 L

Max Overpressure: 2 Bar

Type HE on the bottom: heating/cooling jacket

Type HE on the cylinder: heating/cooling jacket

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: 72

Internal diameter tank: 440 mm

Outer diameter tank: 600 mm

Cylinder height: 600 mm

Total height of tank: 1.220 mm

SKU: 484418

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: insulated with heat-exchanger

Max. arbetstemperatur: 96 °C

Mobil tank: Nej

Övrig information: Frame, Aisi 304; 1 filter disc screwed onto the outlet (see photos); we can't give any guarantees about the heating/cooling jacket

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 106

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 600 mm

Invändig diameter: 440 mm

Total höjd: 1.220 mm

Ytterdiameter: 600 mm

Mer

Isolerad: Ja

