

## 106 liter tank i Syrafast 316



**29,000,00 kr /st exkl moms**

**Additional information:** Frame, Aisi 304; 1 filter disc screwed onto the outlet (see photos)

**Volumetric volume (L):** 106 L

**Pressure in tank:** ATM - atmospheric

**Max. temperature (°C):** 96 °C

**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical

**Configuration:** insulated with heat-exchanger

**Heat exchanger:** yes

**Insulation:** yes

**Mobile tank:** no

**Top type:** open

**Total discharge:** yes

**Volume:** 4 L

**Max Overpressure:** 2 Bar

**Type HE on the bottom:** heating/cooling jacket

**Type HE on the cylinder:** heating/cooling jacket

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Outlet of tank:** 72

**Internal diameter tank:** 440 mm

**Outer diameter tank:** 600 mm

**Cylinder height:** 600 mm

**Total height of tank:** 1.220 mm

**SKU:** 484418

Mer information

## Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: insulated with heat-exchanger

Max. arbetstemperatur: 96 °C

Mobil tank: Nej

Övrig information: Frame, Aisi 304; 1 filter disc screwed onto the outlet (see photos); we can't give any guarantees about the heating/cooling jacket

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 106

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

## Översikt material

Material: Syrafast 316

## Dimensioner av tank

Cylinderhöjd: 600 mm

Invändig diameter: 440 mm

Total höjd: 1.220 mm

Ytterdiameter: 600 mm

## Mer

Isolerad: Ja

