


10640 liter tank i Syrafast 316



270,000,00 kr /st exkl moms

Additional information: Available from February 2025

Volumetric volume (L): 10,640 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: insulated with heat-exchanger

Heat exchanger: yes

Insulation: yes

Mobile tank: no

Total discharge: yes

Max Overpressure: 3 Bar

Max. working temperature: 120 °C

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: yes

Position of manway: headside

Outlet of tank: DN80 DIN 11851

Cylinder: 3 mm

Internal diameter tank: 2.250 mm

Outer diameter tank: 2.450 mm

Cylinder height: 2.500 mm

Total height of tank: 3.600 mm

SKU: 478533

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosfäric

Konfiguration: insulated with heat-exchanger

Mobil tank: Nej

Övrig information: Available from February 2025; we can't give any guarantees about the heating/cooling jacket

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 10640

Utrustning

Dokument finns: Nej

Fläns för omrörare: Ja

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 2.500 mm

Invändig diameter: 2.250 mm

Total höjd: 3.600 mm

Ytterdiameter: 2.450 mm

Tjocklek på tank

Cylinder: 3 mm

Mer

Isolerad: Ja
