

106400 liter tank i Rostfritt 304



534 000 SEK /st exkl moms

Additional information: Beer; Minor damage to the insulation jacket is possible (see photos); the half-pipe coil does not extend throughout the entire cylinder area (see drawing)

Volumetric volume (L): 106.400 L

Pressure in tank: ATM - atmospheric



Max. temperature (°C): 20 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Volume: 1.875 L

Max Overpressure: 2 Bar

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: flange DN80

Top: 7,40 mm

Cylinder: 9 mm

Internal diameter tank: 3.800 mm

Cylinder height: 8.027 mm

Total height of tank: 11.400 mm

SKU: 707134

Mer information



Beskrivning av produkt

Material: Rustfritt stål 304

Modell: Vertikal

Nyttillverkad/Begagnad: Brukt

Arbetsstryck i tank: ATM – atmosfærisk

Konfiguration: isolert

Max. arbetstemperatur: 20 °C

Mobil tank: Nei, det er det ikke.

Övrig information: Beer; Minor damage to the insulation jacket is possible (see photos); the half-pipe coil does not extend throughout the entire cylinder area (see drawing)

Omrörare: Nei

Total urtappning: Ja

Uppvärmning/kylning: Nei, det er det ikke.

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 106400

Utrustning

Dokument finns: Nei, det er det ikke.

Fläns för omrörare: Nei

Märkskylt: Ja

Teknisk ritning finns: Nei, det er det ikke.

Översikt material

Material: Rustfritt stål 304

Dimensioner av tank

Cylinderhöjd: 8.027 mm

Invändig diameter: 3 800 mm

Total höjd: 11.400 mm

Tjocklek på tank

Cylinder: 9 millimeter

Topp: 7,40 mm



Mer

Isolerad: Ja