10700 liter tank i Rostfritt 304



185 000 SEK /st exkl moms

Additional information: Manhole (340x440 mm) in the front shelf
Volumetric volume (L): 10.700 L
Pressure in tank: ATM - atmosferic
Max. temperature (°C): 90 °C

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Material wet parts: SS AISI 304 (V2A)

Model: horizontal
Configuration: insulated
Heat exchanger: no
Insulation: yes
Mobile tank: no

Total discharge: yes
Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no

Outlet of tank: DN50 DIN 11851
Agitator: yes
Cylinder: 5 mm
Bottom: 3 mm
Internal diameter tank: 1.850 mm

Total height of tank: 2.700 mm
Total outer length: 4.367 mm
Empty weight tank: 1.500

SKU: 568241

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Horisontell
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: insulated
Max. arbetstemperatur: 90 °C
Mobil tank: Nej
Övrig information: Food; Manhole (340×440 mm) in the front shelf; we can’t give any guarantees about the agitator
Omrörare: Ja
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 10700

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Invändig diameter: 1.850 mm
Total höjd: 2.700 mm

Tjocklek på tank

Botten: 3 mm
Cylinder: 5 mm

Mer
Isolerad: Ja
Vikt: 1.500

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se