110 liter tank i Syrafast 316



41 000 SEK /st exkl moms

Additional information: Autoclave for sterile masks; Principle drawing available; stainless steel 304 frame
Volumetric volume (L): 110 L
Pressure in tank: pressure
Max. pressure (Bar): 3 Bar

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Min. pressure (Bar): 3 Bar

Material wet parts: SS AISI 316 (V4A)
Model: vertical
Configuration: single-skin
Heat exchanger: no
Insulation: no

Mobile tank: no
Total discharge: no
Documents included: no
Technical drawing included: no
Registration plate on the tank: yes

Flange for agitator: no
Position of manway: headside
Internal diameter tank: 400 mm
Cylinder height: 820 mm
Total height of tank: 1.150 mm

SKU: 569318

Mer information

Beskrivning av produkt

Material: Syrafast 316
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: pressure
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: Autoclave for sterile masks; Principle drawing available; stainless steel 304 frame
Omrörare: Nej
Övertryck: 3 Bar
Total urtappning: Nej
Undertryck (vakuum): 3 Bar
Trycktank: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 316 (V4A)
Volym i liter: 110

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 820 mm
Invändig diameter: 400 mm
Total höjd: 1.150 mm

Mer
Isolerad: Nej