

## 1100 liter tank i Rostfritt 304



**32,000,00 SEK /st exkl moms**

**Additional information:** ethanol; heating coil not suitable for steam heating; insulation jacket non-existent; some residues of previous content

**Volumetric volume (L):** 1.100 L

**Pressure in tank:** ATM - atmospheric

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** insulated with heat-exchanger

**Heat exchanger:** yes

**Insulation:** yes

**Mobile tank:** no

**Total discharge:** yes

**Max Overpressure:** 2 Bar

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** no

**Position of manway:** in the bottom

**Outlet of tank:** flange DN80

**Agitator:** yes

**Number of revolutions:** 1.400

**Power:** 0,75

**Internal diameter tank:** 1.190 mm

**Cylinder height:** 1.000 mm

**Total height of tank:** 2.150 mm

**SKU:** 266665

Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: insulated with heat-exchanger

Mobil tank: Nej

Övrig information: ethanol; heating coil not suitable for steam heating; insulation jacket non-existent; some residues of previous content; we can't give any guarantees about the heating/cooling jacket; we can't give

Övrig information2: any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 1100

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Cylinderhöjd: 1.000 mm

Invändig diameter: 1.190 mm

Total höjd: 2.150 mm

## Omrörare

Kraft (kW): 0,75

Varvtal: 1.400

**Mer**

Isolerad: Ja

---