1100 liter tank i Rostfritt 304



33 000 SEK /st exkl moms

Additional information: ethanol; heating coil not suitable for steam heating; insulation jacket non-existent; some residues of previous content
Volumetric volume (L): 1.100 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Model: vertical

Configuration: insulated with heat-exchanger
Heat exchanger: yes
Insulation: yes
Mobile tank: no
Total discharge: yes

Max Overpressure: 2 Bar
Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no

Position of manway: in the bottom
Outlet of tank: flange DN80
Agitator: yes
Number of revolutions: 1.400
Power: 0,75

Internal diameter tank: 1.190 mm
Cylinder height: 1.000 mm
Total height of tank: 2.150 mm

SKU: 390851

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: insulated with heat-exchanger
Mobil tank: Nej
Övrig information: ethanol; heating coil not suitable for steam heating; insulation jacket non-existent; some residues of previous content; we can't give any guarantees about the heating/cooling jacket; we can't give
Övrig information2: any guarantees about the agitator
Omrörare: Ja
Total urtappning: Ja
Uppvärmning/kylning: Ja
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 1100

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 1.000 mm
Invändig diameter: 1.190 mm
Total höjd: 2.150 mm

Omrörare

Kraft (kW): 0,75
Varvtal: 1.400

Mer
Isolerad: Ja