

1100 liter tank i Rostfritt 304



24 000 SEK /st exkl moms

Additional information: Dairy; Manhole diameter 480 mm; minor dents in the iso jacket; iso cover of the lower base with plate made of Fe; cut-off VA parts on the outside of the vessel (see photos); minor dents in the feet; height-adjustable plastic dome screws of the feet; some residues of previous content

Volumetric volume (L): 1.100 L

Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)
Model: vertical

Configuration: insulated
Heat exchanger: no
Insulation: yes
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Position of manway: headside

Outlet of tank: DN50 DIN 11851
Agitator: yes
Number of revolutions: 175 / 365
Power: 0.2 / 0.92
Internal diameter tank: 1.100 mm

Outer diameter tank: 1.200 mm
Cylinder height: 1.100 mm
Total height of tank: 2.350 mm

SKU: 398426

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: insulated

Mobil tank: Nej

Övrig information: Dairy; Manhole diameter 480 mm; smaller dents in the insulation jacket; Insulated cover of the lower bottom with a plate made of Fe; cut off stainless steel parts on the outside of the tank (see

Övrig information2: photos); smaller dents in the feet; height-adjustable screws of the feet made of plastic ; some residues of previous content; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 1100

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 1.100 mm

Invändig diameter: 1.100 mm

Total höjd: 2.350 mm

Ytterdiameter: 1.200 mm

Omrörare

Kraft (kW): 0.2 / 0.92

Varvtal: 175 / 365

Mer

Isolerad: Ja