

1100 liter tank i Syrafast 316



51,000,00 kr /st exkl moms

Additional information: Pharmacy; Frame, V2A; 1 opening diameter approx. 300 mm and 1 opening approx. 320 x 420 mm (with protective grille) in the lid; cone height approx. 870 mm

Volumetric volume (L): 1.100 L

Pressure in tank: ATM - atmospheric

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: available

Agitator: yes

Number of revolutions: 4,30

Power: 2,20

Internal diameter tank: 1.390 mm

Cylinder height: 370 mm

Total height of tank: 2.070 mm

Total outer width: 1.550 mm

Total outer length: 1.430 mm

SKU: 314267

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Pharmacy; Frame, V2A; 1 opening diameter approx. 300 mm and 1 opening approx. 320 x 420 mm (with protective grille) in the lid; cone height approx. 870 mm; we can't give any guarantees about the

Övrig information2: agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 1100

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 370 mm

Invändig diameter: 1.390 mm

Total höjd: 2.070 mm

Omrörare

Kraft (kW): 2,20

Varvtal: 4,30

Mer

Isolerad: Nej
