

## 1100 liter tank i Syrafast 316



**50 000 SEK /st exkl moms**

**Additional information:** Pharmacy; Frame, V2A; 1 opening diameter approx. 300 mm and 1 opening approx. 320 x 420 mm (with protective grille) in the lid; cone height approx. 870 mm

**Volumetric volume (L):** 1.100 L

**Pressure in tank:** ATM - atmospheric

**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Outlet of tank:** available

**Agitator:** yes

**Number of revolutions:** 4,30

**Power:** 2,20

**Internal diameter tank:** 1.390 mm

**Cylinder height:** 370 mm

**Total height of tank:** 2.070 mm

**Total outer width:** 1.550 mm

**Total outer length:** 1.430 mm

**SKU:** 314267

Mer information

## Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Pharmacy; Frame, V2A; 1 opening diameter approx. 300 mm and 1 opening approx. 320 x 420 mm (with protective grille) in the lid; cone height approx. 870 mm; we can't give any guarantees about the

Övrig information2: agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 1100

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

## Översikt material

Material: Syrafast 316

## Dimensioner av tank

Cylinderhöjd: 370 mm

Invändig diameter: 1.390 mm

Total höjd: 2.070 mm

## Omrörare

Kraft (kW): 2,20

Varvtal: 4,30

**Mer**

Isolerad: Nej

---