

## 1100 liter tank i Syrafast 316



**21 000 SEK /st exkl moms**

**Additional information:** Chemistry; Manhole diameter 400 mm (flange ring made of Fe; manhole cover screws missing); 1 crane eye in the upper bottom; Former connections welded shut by the previous operator

**Volumetric volume (L):** 1.100 L

**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Position of manway:** cylinder

**Outlet of tank:** 84

**Internal diameter tank:** 780 mm

**Cylinder height:** 2.000 mm

**Total height of tank:** 2.600 mm

**SKU:** 434960

---

Mer information

## Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosfäric

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Chemistry; Manhole diameter 400 mm (flange ring made of Fe; manhole cover screws missing); 1 crane eye in the upper bottom; Former connections welded shut by the previous operator

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 1100

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

## Översikt material

Material: Syrafast 316

## Dimensioner av tank

Cylinderhöjd: 2.000 mm

Invändig diameter: 780 mm

Total höjd: 2.600 mm

## Mer

Isolerad: Nej