

## 1100 liter tank i Syrafast 316



**59 000 SEK /st exkl moms**

**Additional information:** Pharmacy

**Volumetric volume (L):** 1.100 L

**Pressure in tank:** pressure and vacuum

**Max. pressure (Bar):** 3 Bar

**Min. pressure (Bar):** 1 Bar

**Max. temperature (°C):** 143 °C

**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Outlet of tank:** 38

**Agitator:** yes

**Number of revolutions:** 670

**Power:** 0,55

**Cylinder:** 4,70 mm

**Bottom:** 4,30 mm

**Internal diameter tank:** 890 mm

**Cylinder height:** 1.500 mm

**Total height of tank:** 2.660 mm

**SKU:** 484991

## Mer information

### Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: pressure and vacuum

Konfiguration: single-skin

Max. arbetstemperatur: 143 °C

Mobil tank: Nej

Övrig information: pharmacy; we can't give any guarantees about the agitator

Omrörare: Ja

Övertryck: 3 Bar

Total urtappning: Ja

Undertryck (vakuum): 1 Bar

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 1100

### Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

### Översikt material

Material: Syrafast 316

### Dimensioner av tank

Cylinderhöjd: 1.500 mm

Invändig diameter: 890 mm

Total höjd: 2.660 mm

**Omrörare**

Kraft (kW): 0,55

Varvtal: 670

**Tjocklek på tank**

Botten: 4,30 mm

Cylinder: 4,70 mm

**Mer**

Isolerad: Nej