

1100 liter tank i Syrafast 316



51 000 SEK /st exkl moms

Additional information: adhesive production; former support brackets were cut off by dismantling and are not available anymore; 1 heating connection cut off; tank with stronger adhesions; manhole cover plated

Volumetric volume (L): 1.100 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single jacketed with heat-exchanger

Heat exchanger: yes

Insulation: no

Mobile tank: no

Total discharge: yes

Type HE on the bottom: heating/cooling jacket

Type HE on the cylinder: heating/cooling jacket

Heat exchanger: RVS 304

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: flange DN40

Agitator: yes

Number of revolutions: 279

Power: 2,20

Internal diameter tank: 1.040 mm

Outer diameter tank: 1.090 mm

Cylinder height: 1.200 mm

Total height of tank: 3.250 mm

SKU: 270058

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosfäric

Konfiguration: single jacketed with heat-exchanger

Mobil tank: Nej

Övrig information: adhesive production; former support brackets were cut off by dismantling and are not available anymore; 1 heating connection cut off; tank with stronger adhesions ; manhole cover plated; we can't

Övrig information2: give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 1100

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 1.200 mm

Invändig diameter: 1.040 mm

Total höjd: 3.250 mm

Ytterdiameter: 1.090 mm



Omrörare

Kraft (kW): 2,20

Varvtal: 279

Mer

Värmeväxlare: RVS 304

Isolerad: Nej