1100 liter tank i Syrafast 316



27 000 SEK /st exkl moms

Additional information: Frame made of Fe; vessel open at the top with a loose lid segment (see photos)
Volumetric volume (L): 1.100 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 316 (V4A)

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Model: vertical

Configuration: insulated
Heat exchanger: no
Insulation: yes
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Outlet of tank: available

Internal diameter tank: 990 mm
Outer diameter tank: 1.070 mm
Cylinder height: 1.490 mm
Total height of tank: 2.400 mm

SKU: 401396

Mer information

Beskrivning av produkt

Material: Syrafast 316
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: insulated
Mobil tank: Nej
Övrig information: Frame, Fe; Tank open at the top with a loose lid segment (see photos)
Omrörare: Nej
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 316 (V4A)
Volym i liter: 1100

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 1.490 mm
Invändig diameter: 990 mm
Total höjd: 2.400 mm
Ytterdiameter: 1.070 mm

Mer

Isolerad: Ja