11000 liter tank i Rostfritt 304



79 000 SEK /st exkl moms

Additional information: Spirits; Manhole diameter approx. 480 mm; 1 connection in the upper bottom was cut out by the previous operator (see photos); some residues of previous content
Volumetric volume (L): 11.000 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: no

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Position of manway: in the bottom

Outlet of tank: 50
Number of revolutions: 1420 / 2850
Power: 1.1 / 1.9
Internal diameter tank: 2.310 mm
Cylinder height: 2.500 mm

Total height of tank: 3.150 mm
Empty weight tank: 950

SKU: 400499

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: Spirits; Manhole diameter approx. 480 mm; 1 connection in the upper bottom was cut out by the previous operator (see photos) ; some residues of previous content
Omrörare: Nej
Total urtappning: Nej
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 11000

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 2.500 mm
Invändig diameter: 2.310 mm
Total höjd: 3.150 mm

Omrörare

Kraft (kW): 1.1 / 1.9
Varvtal: 1420 / 2850

Mer
Isolerad: Nej
Vikt: 950

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se