

## 11000 liter tank i Syrafast 316



**92 000 SEK /st exkl moms**

**Additional information:** 1 manhole diameter 500 mm in the lower cylinder area; 1 handhole NW 200 in the upper cylinder area (note: manhole cover and handhole cover made of stainless steel 304); vessel with adhesions on the inside; slight rust film on the outside of the vessel (see photos)

**Volumetric volume (L):** 11.000 L

**Pressure in tank:** ATM - atmosferic  
**Material wet parts:** SS AISI 316 (V4A)  
**Model:** vertical

**Configuration:** single-skin  
**Heat exchanger:** no  
**Insulation:** no  
**Mobile tank:** no  
**Total discharge:** yes

**Documents included:** no  
**Technical drawing included:** no  
**Registration plate on the tank:** no  
**Flange for agitator:** no  
**Outlet of tank:** flange DN50

**Internal diameter tank:** 1.890 mm  
**Cylinder height:** 3.800 mm  
**Total height of tank:** 4.850 mm

**SKU:** 288923

## Mer information

## Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: 1 manhole diameter 500 mm in the lower cylinder area; 1 hand hole NW 200 in the upper cylinder area (attention: manhole cover and hand hole cover made of Aisi 304); Tank with adhesions inside;

Övrig information2: slight rust on the outside of the tank (see photos)

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 11000

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

## Översikt material

Material: Syrafast 316

## Dimensioner av tank

Cylinderhöjd: 3.800 mm

Invändig diameter: 1.890 mm

Total höjd: 4.850 mm

## Mer

Isolerad: Nej

