

11000 liter tank i Syrafast 316



92,000,00 kr /st exkl moms

Additional information: 1 manhole diameter 500 mm in the lower cylinder area; 1 hand hole NW 200 in the upper cylinder area (attention: manhole cover and hand hole cover made of Aisi 304); Tank with adhesions inside; slight rust on the outside of the tank (see photos)

Volumetric volume (L): 11.000 L

Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 316 (V4A)
Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Outlet of tank: flange DN50

Internal diameter tank: 1.890 mm
Cylinder height: 3.800 mm
Total height of tank: 4.850 mm

SKU: 288923

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosfERIC

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: 1 manhole diameter 500 mm in the lower cylinder area; 1 hand hole NW 200 in the upper cylinder area (attention: manhole cover and hand hole cover made of Aisi 304); Tank with adhesions inside;

Övrig information2: slight rust on the outside of the tank (see photos)

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 11000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 3.800 mm

Invändig diameter: 1.890 mm

Total höjd: 4.850 mm

Mer

Isolerad: Nej

