

11000 liter tank i Syrafast 316



218 000 SEK /st exkl moms

Additional information: Process water tank in the beverage industry; Total height estimated according to drawing; some residues of previous content

Volumetric volume (L): 11.000 L

Pressure in tank: pressure

Max. pressure (Bar): 4 Bar

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Max Overpressure: 4 Bar

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: 40

Internal diameter tank: 2.000 mm

Outer diameter tank: 2.210 mm

Cylinder height: 3.000 mm

Total height of tank: 4.700 mm

Empty weight tank: 1.200

SKU: 474506

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: pressure

Konfiguration: insulated

Mobil tank: Nej

Övrig information: Process water tank in the beverage industry; Total height estimated according to drawing; some residues of previous content

Omrörare: Nej

Övertryck: 4 Bar

Total urtappning: Ja

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 11000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 3.000 mm

Invändig diameter: 2.000 mm

Total höjd: 4.700 mm

Ytterdiameter: 2.210 mm

Mer

Isolerad: Ja

Vikt: 1.200
