

11030 liter tank i Syrafast 316



162,000,00 kr /st exkl moms

Additional information: Pharmacy; Manhole diameter approx. 510 mm; outlet slightly damaged

Volumetric volume (L): 11.030 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 0,49 Bar



Min. pressure (Bar): 0,30 Bar

Max. temperature (°C): 80 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: 50

Agitator: yes

Number of revolutions: 186

Cylinder: 5 mm

Bottom: 4 mm

Internal diameter tank: 2.000 mm

Cylinder height: 3.000 mm

Total height of tank: 5.100 mm

SKU: 486161

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: pressure and vacuum

Konfiguration: single-skin

Max. arbetstemperatur: 80 °C

Mobil tank: Nej

Övrig information: Pharmacy; Drawing of a similar tank available; manhole diameter approx. 510 mm; outlet slightly damaged; we can't give any guarantees about the agitator

Omrörare: Ja

Övertryck: 0,49 Bar

Total urtappning: Ja

Undertryck (vakuum): 0,30 Bar

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 11030

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 3.020 mm

Invändig diameter: 2.000 mm

Total höjd: 5.100 mm

Omrörare

Varvtal: 186

Tjocklek på tank

Botten: 3,50 mm

Cylinder: 4,90 mm

Mer

Isolerad: Nej