

11100 liter tank i Syrafast 316



92,000,00 kr /st exkl moms

Volumetric volume (L): 11.100 L
Pressure in tank: ATM - atmosferic
Max. pressure (Bar): 1 Bar
Min. pressure (Bar): 0,25 Bar

Max. temperature (°C): 100 °C

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: no

Max Overpressure: 1 Bar

Max onderdruk: 0,25 Bar

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: flange

Top: 6 mm

Cylinder: 5 mm

Bottom: 5 mm

Internal diameter tank: 2.400 mm

Cylinder height: 1.865 mm

Total height of tank: 3.930 mm

SKU: 475474

Mer information



Beskrivning av produkt

Modell: Vertikal
Nyttillverkad/Begagnad: Begagnad
Arbetsstryck i tank: ATM – atmosferic
Konfiguration: single-skin
Max. arbetstemperatur: 100 °C
Mobil tank: Nej
Omrörare: Nej
Övertryck: 1 Bar
Total urtappning: Nej
Undertryck (vakuum): 0,25 Bar
Trycktank: Ja
Uppvärmning/kylning: Nej
Volym i liter: 11100

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Dimensioner av tank

Cylinderhöjd: 1.865 mm
Invändig diameter: 2.400 mm
Total höjd: 3.930 mm

Tjocklek på tank

Botten: 5 mm
Cylinder: 5 mm
Topp: 6 mm

Mer

Isolerad: Nej

