# 11118 liter tank i Syrafast 316



219 000 SEK /st exkl moms

**Additional information**: 4 stainless steel claws; longitudinal sight glasses in the cylinder; manhole in the lower base approx. 650 mm; 1 welded stainless steel ladder inside the vessel; some residues of previous content
**Volumetric volume (L)**: 11.118 L
**Pressure in tank**: pressure and vacuum

**PROCESSÖVERSKOTT AB**

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

**Max. pressure (Bar)**: 4 Bar
**Min. pressure (Bar)**: 1 Bar

**Max. temperature (°C)**: 150 °C
**Material wet parts**: SS AISI 316 (V4A)
**Model**: vertical
**Configuration**: insulated
**Heat exchanger**: no

**Insulation**: yes
**Mobile tank**: no
**Total discharge**: yes
**Volume**: 84 L
**Max Overpressure**: 6 Bar

**Max. working temperature**: 150 °C
**Type HE on the bottom**: heating/cooling jacket
**Documents included**: no
**Technical drawing included**: no
**Registration plate on the tank**: yes

**Flange for agitator**: no
**Position of manway**: headside
**Outlet of tank**: 110
**Agitator**: yes
**Number of revolutions**: 24 - 121

**Internal diameter tank**: 2.180 mm
**Outer diameter tank**: 2.460 mm
**Total height of tank**: 4.200 mm

**SKU:** 564496

# Mer information

**Beskrivning av produkt**

Material: Syrafast 316
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: pressure and vacuum
Konfiguration: insulated with heat-exchanger
Max. arbetstemperatur: 150 °C
Mobil tank: Nej
Övrig information: Pharmacy; 4 stainless steel claws; longitudinal sight glasses in the cylinder; manhole in the lower base approx. 650 mm; 1 welded stainless steel ladder inside the vessel; some residues of previous
Övrig information2: content; we can’t give any guarantees about the heating/cooling jacket; we can’t give any guarantees about the agitator
Omrörare: Ja
Övertryck: 4 Bar
Total urtappning: Yes
Undertryck (vakuum): 1 Bar
Trycktank: Ja
Uppvärmning/kylning: Ja
Vätskeberörd yta: SS AISI 316 (V4A)
Volym i liter: 11118

**Utrustning**

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

**Översikt material**

Material: Syrafast 316

**Dimensioner av tank**
Invändig diameter: 2.180 mm
Total höjd: 4.200 mm
Ytterdiameter: 2.460 mm

**Omrörare**
Varvtal: 24 – 121

**Mer**
Isolerad: Ja