

## 11118 liter tank i Syrafast 316



**217 000 SEK /st exkl moms**

**Additional information:** Pharmacy; 4 stainless steel claws; longitudinal sight glasses in the cylinder; manhole in the lower base approx. 650 mm; 1 welded stainless steel ladder inside the vessel; some residues of previous content

**Volumetric volume (L):** 11.118 L

**Pressure in tank:** pressure and vacuum

**Max. pressure (Bar):** 4 Bar

**Min. pressure (Bar):** 1 Bar

**Max. temperature (°C):** 150 °C

**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical

**Configuration:** insulated with heat-exchanger

**Heat exchanger:** yes

**Insulation:** yes

**Mobile tank:** no

**Total discharge:** yes

**Volume:** 84 L

**Max Overpressure:** 6 Bar

**Max. working temperature:** 150 °C

**Type HE on the bottom:** heating/cooling jacket

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Position of manway:** headside

**Outlet of tank:** 110

**Agitator:** yes

**Number of revolutions:** 24 - 121

**Internal diameter tank:** 2.180 mm

**Outer diameter tank:** 2.460 mm

**Total height of tank:** 4.200 mm

**SKU:** 564496

## Mer information

### Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: pressure and vacuum

Konfiguration: insulated with heat-exchanger

Max. arbetstemperatur: 150 °C

Mobil tank: Nej

Övrig information: Pharmacy; 4 stainless steel claws; longitudinal sight glasses in the cylinder; manhole in the lower base approx. 650 mm; 1 welded stainless steel ladder inside the vessel; some residues of previous

Övrig information2: content; we can't give any guarantees about the heating/cooling jacket; we can't give any guarantees about the agitator

Omrörare: Ja

Övertryck: 4 Bar

Total urtappning: Ja

Undertryck (vakuum): 1 Bar

Trycktank: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 11118

### Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

### Översikt material

Material: Syrafast 316



## Dimensioner av tank

Invändig diameter: 2.180 mm

Total höjd: 4.200 mm

Ytterdiameter: 2.460 mm

## Omrörare

Varvtal: 24 - 121

## Mer

Isolerad: Ja