

## 1150 liter tank i Rostfritt 304



**31 000 SEK /st exkl moms**

**Additional information:** 2 sleeve connections in the cylinder, 1 hole at the top in the surround (see photos)

**Volumetric volume (L):** 1.150 L

**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Top type:** open

**Total discharge:** yes

**Fixation point(s):** plastic

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** no

**Outlet of tank:** DN50 DIN 11851

**Internal diameter tank:** 1.200 mm

**Cylinder height:** 930 mm

**Total height of tank:** 1.220 mm

**SKU:** 432047

---

Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: 2 sleeve connections in the cylinder, 1 hole at the top in the surround (see photos)

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 1150

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

Fixeringspunkt(er): plastic

## Dimensioner av tank

Cylinderhöjd: 930 mm

Invändig diameter: 1.200 mm

Total höjd: 1.220 mm

## Mer

Isolerad: Nej