

1150 liter tank i Rostfritt 304



31 000 SEK /st exkl moms

Additional information: 2 sleeve connections in the cylinder, 1 hole at the top in the surround (see photos)

Volumetric volume (L): 1.150 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Top type: open

Total discharge: yes

Fixation point(s): plastic

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Outlet of tank: DN50 DIN 11851

Internal diameter tank: 1.200 mm

Cylinder height: 930 mm

Total height of tank: 1.220 mm

SKU: 432047

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: 2 sleeve connections in the cylinder, 1 hole at the top in the surround (see photos)

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 1150

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Fixeringspunkt(er): plastic

Dimensioner av tank

Cylinderhöjd: 930 mm

Invändig diameter: 1.200 mm

Total höjd: 1.220 mm

Mer

Isolerad: Nej