

## 1150 liter tank i Rostfritt 304



**45 000 SEK /st exkl moms**

**Volumetric volume (L):** 1.150 L

**Pressure in tank:** ATM - atmosferic

**Max. temperature (°C):** 80 °C

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Top type:** open

**Total discharge:** yes

**Volume:** 4 L

**Max Overpressure:** 5 Bar

**Max. working temperature:** 80 °C

**Fixation point(s):** plastic

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** no

**Outlet of tank:** DN50 DIN 11851

**Internal diameter tank:** 1.200 mm

**Total height of tank:** 1.220 mm

**Total outer width:** 1.260 mm

**Empty weight tank:** 160

**SKU:** N/A

Mer information

## Beskrivning av produkt

Material: Rostfritt 304  
Modell: Vertikal  
Nyttillverkad/Begagnad: Begagnad  
Arbetsstryck i tank: ATM – atmosferic  
Konfiguration: single jacketed with heat-exchanger  
Max. arbetstemperatur: 80 °C  
Mobil tank: Nej  
Omrörare: Nej  
Total urtappning: Ja  
Uppvärmning/kylning: Ja  
Vätskeberörd yta: SS AISI 304 (V2A)  
Volym i liter: 1150

## Utrustning

Dokument finns: Nej  
Fläns för omrörare: Nej  
Märkskylt: Nej  
Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304  
Fixeringspunkt(er): plastic

## Dimensioner av tank

Invändig diameter: 1.200 mm  
Total höjd: 1.220 mm

## Mer

Isolerad: Nej  
Vikt: 160