1150 liter tank i Rostfritt 304



38 000 SEK /st exkl moms

Volumetric volume (L): 1.150 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)
Model: vertical

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Configuration: single-skin

Heat exchanger: no
Insulation: no
Mobile tank: no
Top type: open
Total discharge: yes

Fixation point(s): plastic
Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no

Outlet of tank: DN50 DIN 11851
Internal diameter tank: 1.200 mm
Cylinder height: 930 mm
Total height of tank: 1.220 mm
Empty weight tank: 160

SKU: 392237

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Nytillverkad
Arbetstryck i tank: ATM – atmospheric
Konfiguration: single-skin
Mobil tank: Nej
Omrörare: Nej
Total urtappning: Yes
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 1150

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304
Fixeringspunkt(er): plastic

Dimensioner av tank

Cylinderhöjd: 930 mm
Invändig diameter: 1.200 mm
Total höjd: 1.220 mm

Mer

Isolerad: Nej
Vikt: 160