


## 11630 liter tank i Syrafast 316



**130 000 SEK /st exkl moms**

**Additional information:** food industry

**Volumetric volume (L):** 11.630 L

**Pressure in tank:** ATM - atmosferic

**Max. temperature (°C):** 100 °C

**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical

**Configuration:** insulated

**Heat exchanger:** no

**Insulation:** yes

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Position of manway:** headside

**Outlet of tank:** flange DN65

**Internal diameter tank:** 2.000 mm

**Cylinder height:** 3.000 mm

**Total height of tank:** 5.000 mm

**SKU:** 487470

---

Mer information



## Beskrivning av produkt

Material: Syrafast 316  
Modell: Vertikal  
Nyttillverkad/Begagnad: Begagnad  
Arbetstryck i tank: ATM – atmosferic  
Konfiguration: insulated  
Max. arbetstemperatur: 100 °C  
Mobil tank: Nej  
Övrig information: Food industry  
Omrörare: Nej  
Total urtappning: Ja  
Uppvärmning/kylning: Nej  
Vätskeberörd yta: SS AISI 316 (V4A)  
Volym i liter: 11630

## Utrustning

Dokument finns: Nej  
Fläns för omrörare: Nej  
Märkskylt: Ja  
Teknisk ritning finns: Nej

## Översikt material

Material: Syrafast 316

## Dimensioner av tank

Cylinderhöjd: 3.000 mm  
Invändig diameter: 2.000 mm  
Total höjd: 5.000 mm

## Mer

Isolerad: Ja