

11700 liter tank i Syrafast 316



223 000 SEK /st exkl moms

Additional information: dairy; double jacket probably with drip ring - suitable only for cooling

Volumetric volume (L): 11.700 L

Pressure in tank: pressure

Max. pressure (Bar): 0,99 Bar

Max. temperature (°C): 99 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single jacketed with heat-exchanger

Heat exchanger: yes

Insulation: no

Mobile tank: no

Total discharge: yes

Max Overpressure: 0,99 Bar

Type HE on the bottom: heating/cooling jacket

Type HE on the cylinder: heating/cooling jacket

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: available

Agitator: yes

Number of revolutions: 12 / 25

Power: 1.2 / 2.2

Internal diameter tank: 3.140 mm

Outer diameter tank: 3.250 mm

Cylinder height: 1.180 mm

Total height of tank: 4.650 mm

SKU: 267298

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: pressure

Konfiguration: single jacketed with heat-exchanger

Max. arbetstemperatur: 99 °C

Mobil tank: Nej

Övrig information: dairy; double jacket probably with drip ring – suitable only for cooling; we can't give any guarantees about the agitator

Omrörare: Ja

Övertryck: 0,99 Bar

Total urtappning: Ja

Trycktank: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 11700

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 1.180 mm

Invändig diameter: 3.140 mm

Total höjd: 4.650 mm

Ytterdiameter: 3.250 mm



Omrörare

Kraft (kW): 1.2 / 2.2

Varvtal: 12 / 25

Mer

Isolerad: Nej