

## 1174 liter tank i Syrafast 316



**47,000,00 kr /st exkl moms**

**Additional information:** Chemistry; Diameter handhole approx. 310 mm; some residues of previous content; Metallic discolouration inside

**Volumetric volume (L):** 1.174 L

**Pressure in tank:** pressure and vacuum

**Max. pressure (Bar):** 0,50 Bar

**Min. pressure (Bar):** 1 Bar

**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Outlet of tank:** available

**Cylinder:** 4,10 mm

**Bottom:** 4 mm

**Internal diameter tank:** 1.080 mm

**Cylinder height:** 870 mm

**Total height of tank:** 2.200 mm

**SKU:** 485090

---

Mer information

## Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: pressure and vacuum

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Chemistry; Diameter handhole approx. 310 mm; some residues of previous content;Metallic discolouration inside

Omrörare: Nej

Övertryck: 0,50 Bar

Total urtappning: Ja

Undertryck (vakuum): 1 Bar

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 1174

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

## Översikt material

Material: Syrafast 316

## Dimensioner av tank

Cylinderhöjd: 870 mm

Invändig diameter: 1.080 mm

Total höjd: 2.200 mm

**Tjocklek på tank**

Botten: 4 mm

Cylinder: 4,10 mm

**Mer**

Isolerad: Nej