1174 liter tank i Syrafast 316



40 000 SEK /st exkl moms

Additional information: Diameter hand hole approx. 310 mm; some residues of previous content; Metallic discolouration inside
Volumetric volume (L): 1.174 L
Pressure in tank: pressure and vacuum
Max. pressure (Bar): 0,50 Bar

Min. pressure (Bar): 1 Bar

Material wet parts: SS AISI 316 (V4A)
Model: vertical
Configuration: single-skin
Heat exchanger: no
Insulation: no

Mobile tank: no
Total discharge: yes
Documents included: no
Technical drawing included: no
Registration plate on the tank: yes

Flange for agitator: no
Outlet of tank: available
Cylinder: 4,10 mm
Bottom: 4 mm
Internal diameter tank: 1.080 mm

Cylinder height: 870 mm
Total height of tank: 2.200 mm

SKU: 485090

Mer information

Beskrivning av produkt

Material: Syrafast 316
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: pressure and vacuum
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: Chemistry; Diameter handhole approx. 310 mm; some residues of previous content;Metallic discolouration inside
Omrörare: Nej
Övertryck: 0,50 Bar
Total urtappning: Ja
Undertryck (vakuum): 1 Bar
Trycktank: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 316 (V4A)
Volym i liter: 1174

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 870 mm
Invändig diameter: 1.080 mm
Total höjd: 2.200 mm

Tjocklek på tank
Botten: 4 mm
Cylinder: 4,10 mm

Mer
Isolerad: Nej